

The Double Patenting Rejection

In the Office action, claim 1 was provisionally rejected under the doctrine of double patenting over the claims of cited copending continuation application Serial No. 08/599,143. However, claim 1 of the present application has been cancelled and new claims 2-13 have been added. New claims 2-13 set forth various patentable features of applicants' invention not claimed in the cited copending continuation application. Therefore, applicants respectfully request that the double patenting rejection be withdrawn.

The Rejection Under 35 U.S.C. § 103(a)

In the Office action, claim 1 was rejected under 35 U.S.C. § 103(a) as being unpatentable over Davis et al. U.S. Patent 5,559,548. However, the present application is a continuation of application Serial No. 08/599,143, filed February 9, 1996, which is a continuation of parent patent application Serial No. 08/234,060, filed April 28, 1994, now U.S. Patent 5,502,504. The present application is therefore entitled to the benefit of the April 28, 1994 filing date of the parent application. As a result, Davis et al. U.S. Patent 5,559,548 is not prior art to the present application. Applicants respectfully request that this rejection be withdrawn.

New Claims 2-13

New claims 2-13 set forth various patentable features of applicants' invention and are in condition for allowance.

Conclusion


Claims 2-13 are in condition for allowance. This application is therefore in condition for allowance. Reconsideration and allowance of the application are respectfully requested.

Respectfully submitted,



G. Victor Treyz
Registration No. 36,294
Attorney for Applicants
c/o FISH & NEAVE
1251 Avenue of the Americas
New York, NY 10020-1104
Tel.: (212) 596-9000

I Heroby Certify that this
Correspondence is being
Deposited with the U.S.
Postal Service as First
Class Mail in an Envelope
Addressed to: ASSISTANT
COMMISSIONER FOR
PATENTS
WASHINGTON, D.C. 20231 on


Claire J. Saintil
Signature of Person Signing

Received
DEC 15 1998
Group 2700